



Full wwPDB X-ray Structure Validation Report i

Jan 27, 2024 – 11:21 PM EST

PDB ID : 1DMK
Title : BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN COMPLEXED WITH 4-AMINO-6-PHENYL-TETRAHYDROPTERIDINE
Authors : Kotsonis, P.; Frohlich, L.G.; Raman, C.S.; Li, H.; Berg, M.; Gerwig, R.; Groehn, V.; Kang, Y.; Al-Masoudi, N.; Taghavi-Moghadam, S.; Mohr, D.; Munch, U.; Schnabel, J.; Martasek, P.; Masters, B.S.; Strobel, H.; Poulos, T.; Matter, H.; Pfleiderer, W.; Schmidt, H.H.
Deposited on : 1999-12-14
Resolution : 1.90 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbitiy : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriaige (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	A	444	10%	74%	17%	• 6%	
1	B	444	7%	71%	21%	• 7%	

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.36

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 7232 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NITRIC OXIDE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C 3302	N 2099	O 584	S 603	16	0	0
1	B	414	Total	C 3291	N 2092	O 582	S 601	16	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	conflict	UNP P29473
B	100	ARG	CYS	conflict	UNP P29473

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C 4	O 2	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0

- Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: $C_2H_6AsO_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total As C 3 1 2	0	0
3	B	1	Total As C 3 1 2	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Zn 1 1	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total		C	Fe	N	O	
			43		34	1	4	4	
5	B	1	Total		C	Fe	N	O	
			43		34	1	4	4	

- Molecule 6 is 2,4-DIAMINO-6-PHENYL-5,6,7,8,-TETRAHYDROPTERIDINE (three-letter code: AP6) (formula: C₁₂H₁₄N₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C N 18 12 6	0	0
6	B	1	Total C N 18 12 6	0	0

- Molecule 7 is ETHYLISOTHIUREA (three-letter code: ITU) (formula: C₃H₈N₂S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C N S 6 3 2 1	0	0
7	B	1	Total C N S 6 3 2 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	245	Total O 245 245	0	0
8	B	225	Total O 225 225	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NITRIC OXIDE SYNTHASE



- Molecule 1: NITRIC OXIDE SYNTHASE



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	58.07 Å 106.11 Å 156.21 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.93 – 1.90 48.43 – 1.90	Depositor EDS
% Data completeness (in resolution range)	89.2 (19.93-1.90) 79.2 (48.43-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.23 (at 1.90 Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R , R_{free}	0.225 , 0.264 0.216 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	30.8	Xtriage
Anisotropy	0.442	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.8	EDS
L-test for twinning ²	$< L > = 0.47$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7232	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: AP6, ZN, CAC, ITU, HEM, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3397	0.63	1/4631 (0.0%)
1	B	0.36	0/3385	0.63	2/4614 (0.0%)
All	All	0.37	0/6782	0.63	3/9245 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	360	MET	N-CA-C	-5.96	94.91	111.00
1	B	360	MET	N-CA-C	-5.26	96.80	111.00
1	B	243	PHE	N-CA-C	-5.08	97.28	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3302	0	3215	72	0
1	B	3291	0	3205	84	0
2	A	12	0	9	0	0
2	B	16	0	12	1	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
5	A	43	0	30	0	0
5	B	43	0	30	0	0
6	A	18	0	14	2	0
6	B	18	0	14	3	0
7	A	6	0	7	1	0
7	B	6	0	7	1	0
8	A	245	0	0	4	0
8	B	225	0	0	2	0
All	All	7232	0	6543	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:PRO:HD3	1:A:479:PRO:HG2	1.21	1.17
1:B:108:PRO:HB3	1:B:111:LEU:HD13	1.52	0.90
1:A:105:LEU:HB2	1:A:108:PRO:HG3	1.54	0.88
1:B:259:GLN:HG2	1:B:260:ASP:H	1.43	0.83
1:B:114:ARG:HA	1:B:114:ARG:HH11	1.47	0.77
1:A:126:LEU:HD11	1:A:156:GLU:HB3	1.70	0.73
1:A:240:ARG:HD3	1:A:298:PRO:HB3	1.71	0.73
1:A:281:TRP:HB2	1:A:304:LEU:HD21	1.71	0.72
1:B:281:TRP:HB2	1:B:304:LEU:HD21	1.71	0.71
1:B:259:GLN:HG2	1:B:260:ASP:N	2.05	0.71
1:B:112:GLN:HG3	1:B:478:GLN:HA	1.72	0.69
1:B:114:ARG:HH11	1:B:115:PRO:HD3	1.58	0.68
1:A:421:ASP:HB2	8:A:2038:HOH:O	1.95	0.67
1:A:121:PRO:HB2	1:A:124:GLN:HB3	1.78	0.66
1:A:115:PRO:HD3	1:A:479:PRO:CG	2.14	0.66
1:B:114:ARG:HD3	1:B:115:PRO:HD2	1.78	0.65
1:A:274:GLU:O	1:A:278:GLN:HG3	1.97	0.65
1:A:111:LEU:HD22	1:A:476:ARG:NH1	2.13	0.63
1:A:378:LEU:HB2	8:A:1979:HOH:O	1.97	0.62
1:A:69:LYS:O	1:A:69:LYS:HG2	1.99	0.62
1:B:150:GLU:O	1:B:154:GLU:HG3	2.01	0.60
1:B:130:ARG:HG3	1:B:130:ARG:HH11	1.66	0.60
1:A:111:LEU:HD21	1:A:470:ILE:HD13	1.83	0.60
1:A:119:PRO:HG3	1:A:238:PRO:HB3	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:108:PRO:CB	1:B:111:LEU:HB2	2.31	0.59
1:B:114:ARG:NH1	1:B:115:PRO:HD3	2.17	0.59
1:A:111:LEU:HD21	1:A:470:ILE:HG21	1.84	0.59
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.42	0.59
1:B:322:LEU:HD13	1:B:324:TRP:CZ2	2.37	0.59
1:B:264:ARG:NH2	1:B:285:ASN:O	2.35	0.59
1:A:340:ASN:H	1:A:340:ASN:HD22	1.51	0.59
1:A:111:LEU:CD2	1:A:470:ILE:HD13	2.34	0.58
1:B:112:GLN:HE21	1:B:477:TYR:C	2.08	0.58
1:A:108:PRO:HG2	8:A:1912:HOH:O	2.04	0.57
1:A:240:ARG:HD3	1:A:298:PRO:CB	2.35	0.57
1:B:236:ARG:HD3	1:B:351:SER:HB3	1.87	0.57
1:B:378:LEU:HB2	8:B:2976:HOH:O	2.05	0.56
1:B:114:ARG:HA	1:B:114:ARG:NH1	2.18	0.56
1:A:317:LEU:HG	1:A:331:ARG:HA	1.87	0.56
1:A:449:TRP:HA	6:A:1660:AP6:N1	2.20	0.56
1:B:102:LEU:HB3	1:B:105:LEU:HG	1.87	0.55
1:B:112:GLN:NE2	1:B:477:TYR:C	2.59	0.55
1:B:366:THR:O	1:B:370:CYS:HB2	2.07	0.55
6:A:1660:AP6:H6	1:B:462:PHE:CE2	2.42	0.55
1:B:116:SER:O	1:B:238:PRO:HA	2.07	0.55
1:A:322:LEU:HD13	1:A:324:TRP:CZ2	2.41	0.55
1:B:257:ARG:HH11	1:B:257:ARG:HG3	1.72	0.54
1:B:449:TRP:HA	6:B:2660:AP6:N1	2.22	0.54
1:B:244:ARG:NH2	1:B:481:PRO:HD3	2.23	0.54
1:A:115:PRO:O	1:A:117:PRO:HD3	2.08	0.54
1:B:114:ARG:HD3	1:B:115:PRO:CD	2.37	0.54
1:B:152:LEU:O	1:B:156:GLU:HG3	2.08	0.53
1:B:130:ARG:HG3	1:B:152:LEU:HD22	1.91	0.53
1:B:236:ARG:HD2	1:B:242:ASP:CG	2.29	0.53
1:A:108:PRO:HD2	8:A:2083:HOH:O	2.09	0.53
1:A:115:PRO:C	1:A:117:PRO:HD3	2.30	0.53
1:B:400:ALA:O	1:B:404:ILE:HG13	2.09	0.53
1:B:111:LEU:O	1:B:112:GLN:O	2.28	0.52
1:B:205:SER:OG	1:B:208:GLU:HG3	2.10	0.52
1:A:338:VAL:HG23	7:A:1800:ITU:H11	1.92	0.52
1:B:118:GLY:C	1:B:238:PRO:HB3	2.29	0.52
1:A:105:LEU:CB	1:A:108:PRO:HG3	2.34	0.51
1:A:462:PHE:CE2	6:B:2660:AP6:H6	2.46	0.51
1:A:168:ARG:HB2	1:A:171:GLU:HG3	1.93	0.51
1:B:340:ASN:HD22	1:B:340:ASN:C	2.12	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:GLN:HE22	1:A:194:LYS:NZ	2.09	0.51
1:B:337:ALA:HB2	1:B:356:SER:HB3	1.93	0.51
1:B:108:PRO:HB3	1:B:111:LEU:HB2	1.93	0.51
1:A:105:LEU:HD22	1:B:465:GLU:HB3	1.91	0.50
1:B:113:THR:HG21	1:B:342:LEU:CD1	2.41	0.50
1:B:361:SER:OG	1:B:421:ASP:HA	2.11	0.50
1:A:114:ARG:HD2	1:A:479:PRO:HG3	1.92	0.50
1:A:264:ARG:HH11	1:A:264:ARG:HG3	1.76	0.50
1:B:264:ARG:NH1	1:B:287:ARG:HG3	2.26	0.50
1:A:340:ASN:HD22	1:A:340:ASN:N	2.10	0.49
1:A:119:PRO:HG3	1:A:238:PRO:CB	2.42	0.49
1:B:180:TRP:CE3	1:B:192:TRP:HA	2.48	0.49
1:A:270:VAL:O	1:A:274:GLU:HG3	2.12	0.49
1:A:472:SER:HA	1:A:473:PRO:C	2.33	0.48
1:B:112:GLN:HE22	1:B:477:TYR:HB3	1.79	0.48
1:B:126:LEU:HD11	1:B:156:GLU:HA	1.96	0.48
1:B:236:ARG:HD2	1:B:242:ASP:OD2	2.13	0.48
1:B:472:SER:HA	1:B:473:PRO:C	2.34	0.48
1:A:366:THR:O	1:A:370:CYS:HB2	2.14	0.48
1:B:109:ARG:HG3	1:B:110:LYS:HG3	1.95	0.48
1:B:419:ILE:HG13	1:B:420:VAL:N	2.28	0.48
1:A:111:LEU:CD2	1:A:476:ARG:NH1	2.77	0.47
1:B:281:TRP:O	1:B:283:PRO:HD3	2.14	0.47
1:A:129:ALA:O	1:A:133:ILE:HG12	2.15	0.47
1:A:105:LEU:CD2	1:B:465:GLU:HB3	2.45	0.46
1:A:152:LEU:O	1:A:156:GLU:HG2	2.15	0.46
1:A:210:PHE:HE2	1:A:307:LEU:HD23	1.79	0.46
1:A:74:LYS:O	1:A:465:GLU:HG3	2.16	0.46
1:A:111:LEU:O	1:A:112:GLN:C	2.53	0.46
1:A:123:GLU:OE1	1:A:123:GLU:HA	2.16	0.46
1:A:234:PRO:HB2	1:A:243:PHE:CE1	2.51	0.46
1:A:240:ARG:HD2	1:A:241:GLY:O	2.16	0.45
1:B:71:PRO:HG2	1:B:84:ASP:HB3	1.97	0.45
1:A:264:ARG:HG3	1:A:264:ARG:NH1	2.32	0.45
1:A:111:LEU:HD21	1:A:470:ILE:CG2	2.45	0.45
1:A:194:LYS:HB2	1:A:194:LYS:HE3	1.78	0.45
1:B:112:GLN:NE2	1:B:477:TYR:CB	2.80	0.45
1:B:112:GLN:HE22	1:B:477:TYR:CB	2.30	0.45
1:A:115:PRO:CD	1:A:479:PRO:HG2	2.15	0.45
1:A:340:ASN:H	1:A:340:ASN:ND2	2.14	0.44
1:B:130:ARG:HH11	1:B:130:ARG:CG	2.29	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2855:ACT:CH3	6:B:2660:AP6:HN42	2.30	0.44
1:A:236:ARG:HD3	1:A:242:ASP:CG	2.36	0.44
1:B:264:ARG:HH11	1:B:287:ARG:HG3	1.82	0.44
1:B:231:THR:O	1:B:353:ALA:HA	2.16	0.44
1:B:235:GLN:HB3	1:B:350:PHE:CE1	2.52	0.44
1:B:112:GLN:CG	1:B:478:GLN:HA	2.45	0.44
1:B:258:GLN:HB3	1:B:259:GLN:NE2	2.33	0.44
1:B:259:GLN:H	1:B:259:GLN:CD	2.21	0.44
1:A:187:VAL:HG22	1:A:187:VAL:O	2.18	0.44
1:A:465:GLU:HB3	1:B:105:LEU:HD22	2.00	0.44
1:B:122:ALA:O	1:B:126:LEU:HB2	2.18	0.43
1:A:157:ALA:O	1:A:160:ALA:HB3	2.18	0.43
1:B:257:ARG:HG3	1:B:257:ARG:NH1	2.33	0.43
1:A:69:LYS:O	1:A:69:LYS:CG	2.66	0.43
1:B:338:VAL:HG23	7:B:2800:ITU:HG11	2.01	0.43
1:B:207:GLN:HB2	8:B:3026:HOH:O	2.19	0.43
1:B:180:TRP:CZ3	1:B:192:TRP:HA	2.53	0.43
1:B:246:TRP:CD1	1:B:481:PRO:HG3	2.55	0.42
1:B:319:HIS:NE2	1:B:403:GLU:OE2	2.48	0.42
1:B:423:HIS:O	1:B:427:VAL:HG23	2.20	0.42
1:A:246:TRP:CZ2	1:A:302:PRO:HG2	2.55	0.42
1:A:109:ARG:O	1:A:110:LYS:HD2	2.20	0.42
1:B:116:SER:N	1:B:117:PRO:CD	2.82	0.42
1:B:119:PRO:HA	1:B:238:PRO:CG	2.50	0.42
1:B:307:LEU:HA	1:B:308:PRO:HD3	1.95	0.41
1:A:77:GLU:HG3	1:B:372:PRO:HG2	2.02	0.41
1:A:226:LEU:N	1:A:226:LEU:HD12	2.36	0.41
1:B:183:ALA:HA	1:B:184:PRO:HD3	1.85	0.41
1:B:113:THR:HG21	1:B:342:LEU:HD11	2.02	0.41
1:B:167:LEU:HG	1:B:348:LEU:HD12	2.03	0.41
1:B:471:LEU:O	1:B:474:ALA:HB2	2.20	0.41
1:A:92:GLN:HE21	1:A:92:GLN:HB2	1.61	0.41
1:A:342:LEU:C	1:A:342:LEU:HD23	2.41	0.41
1:B:112:GLN:HG2	1:B:479:PRO:HD3	2.03	0.41
1:A:76:TRP:HH2	1:B:107:LEU:HD11	1.86	0.41
1:A:231:THR:O	1:A:353:ALA:HA	2.21	0.41
1:A:293:LEU:HD11	1:A:307:LEU:HD21	2.03	0.41
1:B:270:VAL:O	1:B:274:GLU:HG3	2.21	0.41
1:B:319:HIS:CG	1:B:320:PRO:HD2	2.55	0.41
1:A:319:HIS:CG	1:A:320:PRO:HD2	2.56	0.41
1:A:244:ARG:NH2	1:A:481:PRO:HD3	2.36	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:ASN:C	1:A:285:ASN:HD22	2.23	0.40
1:A:457:SER:OG	1:B:453:PRO:HB2	2.22	0.40
1:B:155:VAL:O	1:B:159:VAL:HG23	2.21	0.40
1:A:117:PRO:O	1:A:118:GLY:C	2.58	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	414/444 (93%)	388 (94%)	24 (6%)	2 (0%)	29 18
1	B	412/444 (93%)	388 (94%)	21 (5%)	3 (1%)	22 12
All	All	826/888 (93%)	776 (94%)	45 (5%)	5 (1%)	25 15

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	117	PRO
1	B	112	GLN
1	A	112	GLN
1	B	260	ASP
1	B	115	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	354/377 (94%)	340 (96%)	14 (4%)	31 22
1	B	353/377 (94%)	343 (97%)	10 (3%)	43 36
All	All	707/754 (94%)	683 (97%)	24 (3%)	37 28

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	A	100	ARG
1	A	124	GLN
1	A	125	LEU
1	A	126	LEU
1	A	194	LYS
1	A	236	ARG
1	A	259	GLN
1	A	285	ASN
1	A	311	LEU
1	A	340	ASN
1	A	376	ASN
1	A	390	ARG
1	A	468	ASN
1	B	100	ARG
1	B	105	LEU
1	B	114	ARG
1	B	207	GLN
1	B	225	ASN
1	B	240	ARG
1	B	330	LEU
1	B	331	ARG
1	B	340	ASN
1	B	378	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	GLN
1	A	92	GLN
1	A	112	GLN
1	A	191	GLN
1	A	258	GLN
1	A	278	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	285	ASN
1	A	340	ASN
1	A	376	ASN
1	A	413	GLN
1	A	468	ASN
1	B	112	GLN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	340	ASN
1	B	405	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 16 ligands modelled in this entry, 1 is monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CAC	B	950	1	0,2,4	-	-	0,1,6	-	-
6	AP6	A	1660	-	18,20,20	4.04	9 (50%)	19,28,28	2.93	6 (31%)
2	ACT	B	2860	-	3,3,3	0.86	0	3,3,3	0.72	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CAC	A	950	1	0,2,4	-	-	0,1,6	-	-
5	HEM	B	2500	1	41,50,50	1.33	5 (12%)	45,82,82	1.33	5 (11%)
2	ACT	A	1850	-	3,3,3	0.90	0	3,3,3	0.87	0
7	ITU	A	1800	-	4,5,5	0.93	0	4,5,5	3.14	1 (25%)
2	ACT	A	1860	-	3,3,3	0.89	0	3,3,3	0.77	0
2	ACT	A	1855	-	3,3,3	0.82	0	3,3,3	0.81	0
2	ACT	B	2870	-	3,3,3	0.80	0	3,3,3	0.80	0
2	ACT	B	2850	-	3,3,3	0.95	0	3,3,3	0.78	0
2	ACT	B	2855	-	3,3,3	0.90	0	3,3,3	0.85	0
7	ITU	B	2800	-	4,5,5	0.79	0	4,5,5	2.86	1 (25%)
6	AP6	B	2660	-	18,20,20	3.93	6 (33%)	19,28,28	2.97	7 (36%)
5	HEM	A	1500	1	41,50,50	1.39	5 (12%)	45,82,82	1.27	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AP6	A	1660	-	-	2/4/13/13	0/3/3/3
5	HEM	B	2500	1	-	0/12/54/54	-
7	ITU	A	1800	-	-	0/3/3/3	-
7	ITU	B	2800	-	-	0/3/3/3	-
6	AP6	B	2660	-	-	2/4/13/13	0/3/3/3
5	HEM	A	1500	1	-	3/12/54/54	-

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	2660	AP6	C12-C11	11.45	1.57	1.39
6	A	1660	AP6	C12-C11	11.42	1.57	1.39
6	A	1660	AP6	C2-N1	7.76	1.49	1.35
6	B	2660	AP6	C2-N1	7.67	1.49	1.35
6	A	1660	AP6	C4-N4	5.50	1.47	1.34
6	A	1660	AP6	C4-N3	5.49	1.42	1.35
6	B	2660	AP6	C4-N3	5.36	1.42	1.35
6	B	2660	AP6	C4-N4	5.29	1.47	1.34
5	A	1500	HEM	C3C-CAC	-3.65	1.40	1.47
5	A	1500	HEM	C4A-NA	3.46	1.43	1.36
5	B	2500	HEM	C3C-C2C	-3.38	1.35	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1660	AP6	C10-N1	2.78	1.39	1.34
5	B	2500	HEM	CHA-C4D	2.69	1.41	1.35
6	A	1660	AP6	C2-N3	2.61	1.40	1.35
6	A	1660	AP6	C7-N8	2.60	1.49	1.44
5	A	1500	HEM	CAB-C3B	-2.49	1.40	1.47
6	B	2660	AP6	C2-N3	2.38	1.39	1.35
5	B	2500	HEM	C3C-CAC	-2.35	1.43	1.47
5	B	2500	HEM	CHB-C1B	2.28	1.40	1.35
5	B	2500	HEM	CAB-C3B	-2.22	1.41	1.47
5	A	1500	HEM	CHA-C4D	2.21	1.40	1.35
6	B	2660	AP6	C7-N8	2.20	1.48	1.44
6	A	1660	AP6	C14-C15	2.14	1.43	1.38
5	A	1500	HEM	C3B-C4B	2.12	1.49	1.44
6	A	1660	AP6	C15-C16	2.11	1.43	1.38

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1660	AP6	C2-N3-C4	8.39	126.24	116.99
6	B	2660	AP6	C2-N3-C4	8.16	126.00	116.99
6	B	2660	AP6	N3-C2-N1	-6.43	115.34	125.42
6	A	1660	AP6	N3-C2-N1	-6.30	115.54	125.42
7	A	1800	ITU	C2-S-C3	6.25	109.75	103.20
7	B	2800	ITU	C2-S-C3	5.68	109.15	103.20
6	B	2660	AP6	N4-C4-N3	3.90	122.55	117.03
6	A	1660	AP6	N4-C4-N3	3.65	122.19	117.03
6	B	2660	AP6	N2-C2-N3	3.63	122.90	117.25
5	B	2500	HEM	CBA-CAA-C2A	-3.62	106.45	112.62
6	A	1660	AP6	N2-C2-N3	3.40	122.54	117.25
6	B	2660	AP6	C2-N1-C10	3.33	122.01	114.54
6	A	1660	AP6	C2-N1-C10	3.18	121.66	114.54
5	A	1500	HEM	C4C-CHD-C1D	3.02	126.55	122.56
6	A	1660	AP6	N2-C2-N1	2.99	121.91	117.25
6	B	2660	AP6	N2-C2-N1	2.89	121.75	117.25
5	A	1500	HEM	C2C-C3C-C4C	-2.78	104.95	106.90
5	A	1500	HEM	CMC-C2C-C3C	2.61	129.56	124.68
5	B	2500	HEM	C2C-C3C-C4C	-2.58	105.10	106.90
5	A	1500	HEM	CMD-C2D-C1D	2.53	128.89	125.04
5	A	1500	HEM	CBA-CAA-C2A	-2.52	108.33	112.62
5	B	2500	HEM	C4B-CHC-C1C	2.50	125.86	122.56
5	B	2500	HEM	C2D-C1D-ND	2.47	112.84	109.88
5	B	2500	HEM	C4C-CHD-C1D	2.22	125.49	122.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1500	HEM	C4A-C3A-C2A	-2.21	105.46	107.00
5	A	1500	HEM	C4B-C3B-C2B	-2.18	105.38	107.11
5	A	1500	HEM	C4B-CHC-C1C	2.07	125.29	122.56
6	B	2660	AP6	C9-N5-C6	-2.03	113.02	119.93

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	A	1660	AP6	C12-C11-C6-C7
6	A	1660	AP6	C16-C11-C6-C7
6	B	2660	AP6	C12-C11-C6-C7
6	B	2660	AP6	C16-C11-C6-C7
5	A	1500	HEM	C4B-C3B-CAB-CBB
5	A	1500	HEM	CAA-CBA-CGA-O2A
5	A	1500	HEM	CAA-CBA-CGA-O1A


There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1660	AP6	2	0
7	A	1800	ITU	1	0
2	B	2855	ACT	1	0
7	B	2800	ITU	1	0
6	B	2660	AP6	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/444 (93%)	0.68	46 (11%) 5 6	27, 39, 71, 99	0
1	B	414/444 (93%)	0.66	33 (7%) 12 13	25, 45, 75, 99	0
All	All	830/888 (93%)	0.67	79 (9%) 8 9	25, 42, 75, 99	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	113	THR	16.6
1	B	117	PRO	12.8
1	A	113	THR	12.0
1	A	111	LEU	11.7
1	B	112	GLN	9.7
1	B	114	ARG	9.3
1	B	118	GLY	9.0
1	A	118	GLY	8.9
1	A	119	PRO	8.9
1	B	115	PRO	8.7
1	B	119	PRO	8.6
1	B	116	SER	8.6
1	A	114	ARG	8.4
1	A	117	PRO	7.1
1	A	115	PRO	6.7
1	A	112	GLN	6.5
1	A	110	LYS	6.3
1	B	111	LEU	6.0
1	B	110	LYS	5.9
1	B	120	PRO	5.6
1	B	121	PRO	5.1
1	B	259	GLN	4.4
1	A	123	GLU	4.4
1	A	109	ARG	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	239	GLY	4.0
1	A	126	LEU	4.0
1	A	121	PRO	3.9
1	A	259	GLN	3.8
1	A	116	SER	3.7
1	A	69	LYS	3.7
1	A	120	PRO	3.5
1	A	67	GLY	3.2
1	A	187	VAL	3.2
1	B	261	GLY	3.2
1	A	450	ILE	3.1
1	B	146	GLN	3.1
1	A	146	GLN	3.0
1	A	99	ARG	2.9
1	A	447	TRP	2.9
1	A	275	LEU	2.9
1	A	153	GLN	2.9
1	A	122	ALA	2.8
1	B	270	VAL	2.8
1	B	260	ASP	2.7
1	A	108	PRO	2.7
1	A	294	LEU	2.7
1	B	239	GLY	2.7
1	A	238	PRO	2.7
1	B	447	TRP	2.6
1	A	448	ALA	2.6
1	B	109	ARG	2.6
1	B	106	VAL	2.6
1	A	161	SER	2.6
1	A	449	TRP	2.5
1	A	107	LEU	2.5
1	A	130	ARG	2.4
1	B	304	LEU	2.4
1	B	71	PRO	2.4
1	B	323	GLU	2.3
1	A	261	GLY	2.3
1	A	106	VAL	2.3
1	A	278	GLN	2.3
1	A	270	VAL	2.3
1	A	157	ALA	2.3
1	A	390	ARG	2.2
1	B	448	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	124	GLN	2.2
1	B	72	ARG	2.2
1	A	451	VAL	2.2
1	B	143	SER	2.2
1	A	101	CYS	2.1
1	A	277	ILE	2.1
1	A	429	PHE	2.1
1	B	123	GLU	2.1
1	B	70	PHE	2.1
1	B	390	ARG	2.0
1	B	215	ASN	2.0
1	B	142	ARG	2.0
1	B	257	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CAC	B	950	3/5	0.84	0.22	80,80,81,85	0
2	ACT	A	1860	4/4	0.93	0.22	44,47,47,49	0
2	ACT	B	2855	4/4	0.94	0.23	46,46,47,48	0
2	ACT	B	2860	4/4	0.94	0.14	42,43,43,45	0
3	CAC	A	950	3/5	0.94	0.12	61,61,61,68	0
2	ACT	B	2850	4/4	0.94	0.10	37,38,39,40	0
6	AP6	A	1660	18/18	0.95	0.17	29,32,33,33	0
6	AP6	B	2660	18/18	0.95	0.19	29,31,33,34	0
2	ACT	A	1855	4/4	0.96	0.23	49,49,50,51	0
5	HEM	B	2500	43/43	0.97	0.12	28,31,33,36	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ACT	A	1850	4/4	0.97	0.07	34,34,35,35	0
2	ACT	B	2870	4/4	0.97	0.15	30,31,32,36	0
7	ITU	A	1800	6/6	0.97	0.17	29,30,31,32	0
7	ITU	B	2800	6/6	0.97	0.12	31,33,34,34	0
5	HEM	A	1500	43/43	0.98	0.17	25,28,36,38	0
4	ZN	A	900	1/1	0.99	0.12	37,37,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.