



## wwPDB EM Validation Summary Report ⓘ

May 5, 2024 – 07:23 PM EDT

PDB ID : 4V6R  
EMDB ID : EMD-5362  
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 6 of the six classes)  
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.  
Deposited on : 2011-12-08  
Resolution : 11.50 Å (reported)  
Based on initial model : 2I2U

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 11.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	76	
3	AC	47	
4	AD	77	
5	AE	240	
6	AF	232	
7	AG	205	
8	AH	166	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	135	
10	AJ	178	
11	AK	129	
12	AL	129	
13	AM	103	
14	AN	128	
15	AO	123	
16	AP	117	
17	AQ	100	
18	AR	88	
19	AS	82	
20	AT	83	
21	AU	74	
22	AV	91	
23	AW	86	
24	AX	70	
25	BA	120	
26	BB	2904	
27	BC	234	
28	BD	272	
29	BE	209	
30	BF	201	
31	BG	178	
32	BH	176	
33	BI	149	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	BJ	164	
35	BK	141	
36	BL	142	
37	BM	123	
38	BN	144	
39	BO	136	
40	BP	127	
41	BQ	117	
42	BR	114	
43	BS	117	
44	BT	103	
45	BU	110	
46	BV	100	
47	BW	103	
48	BX	94	
49	BY	84	
50	BZ	77	
51	B0	63	
52	B1	58	
53	B2	70	
54	B3	56	
55	B4	54	
56	B5	46	
57	B6	64	
58	B7	38	

## 2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1542	Total	C	N	O	P	0	0
			33089	14767	6064	10717	1541		

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	AB	76	Total	C	N	O	P	S	0	0
			1627	731	287	532	75	2		

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AC	47	Total	C	N	O	P	0	0
			993	445	167	335	46		

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	AD	77	Total	C	N	O	P	S	0	0
			1641	734	297	533	76	1		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AE	240	Total	C	N	O	S	0	0
			1872	1180	332	352	8		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AF	232	Total	C	N	O	S	0	0
			1822	1149	346	323	4		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AG	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AH	166	Total	C	N	O	S	0	0
			1225	761	232	226	6		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AI	135	Total	C	N	O	S	0	0
			1101	677	198	219	7		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AJ	178	Total	C	N	O	S	0	0
			1400	874	269	253	4		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	129	Total	C	N	O	S	0	0
			1036	642	208	183	3		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	103	Total	C	N	O	S	0	0
			825	514	158	151	2		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	128	Total	C	N	O	S	0	0
			965	595	196	171	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	117	Total	C	N	O	S	0	0
			910	564	183	160	3		

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AR	88	Total	C	N	O	S	0	0
			716	440	146	129	1		

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	83	Total	C	N	O	S	0	0
			672	425	124	120	3		

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	91	Total	C	N	O	S	0	0
			727	464	139	122	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AW	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AX	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	120	Total	C	N	O	P	0	0
			2566	1144	468	835	119		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	2904	Total	C	N	O	P	0	0
			62351	27824	11469	20155	2903		

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BK	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BL	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BM	123	Total	C	N	O	S	0	0
			947	593	181	167	6		

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BN	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BO	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BP	127	Total	C	N	O	S	0	0
			1008	621	204	178	5		

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BV	100	Total	C	N	O	S	0	0
			787	496	146	143	2		

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BW	103	Total	C	N	O		0	0
			789	498	148	143			

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BX	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	46	Total	C	N	O	S	0	0
			377	228	90	57	2		


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B6	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	B7	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula:  $C_{11}H_{12}N_2O_2$ ).



Mol	Chain	Residues	Atoms				AltConf
59	AB	1	Total	C	N	O	0
			14	11	2	1	

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula:  $C_6H_{11}NO_3S$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 16S ribosomal RNA




- Molecule 2: A site tRNA

Response	Percentage
Yes, the U.S. should take action to address climate change	53%
No, the U.S. should not take action to address climate change	29%
Don't know	18%


- Molecule 3: mRNA

Response Category	Percentage
Strongly agree	9%
Agree	17%
Disagree	45%
Strongly disagree	38%




• Molecule 4: P site tRNA

Chain AD: 43% 51% 6%




• Molecule 5: 30S ribosomal protein S2

Chain AE: 76% 21%




• Molecule 6: 30S ribosomal protein S3

Chain AF: 78% 21%



• Molecule 7: 30S ribosomal protein S4

Chain AG: 77% 20%




• Molecule 8: 30S ribosomal protein S5

Chain AH: 79% 20%









- Molecule 9: 30S ribosomal protein S6




- Molecule 10: 30S ribosomal protein S7





- Molecule 11: 30S ribosomal protein S8




- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10




- Molecule 14: 30S ribosomal protein S11




- Molecule 15: 30S ribosomal protein S12




- Molecule 16: 30S ribosomal protein S13




- Molecule 17: 30S ribosomal protein S14




- Molecule 18: 30S ribosomal protein S15




- Molecule 19: 30S ribosomal protein S16




- Molecule 20: 30S ribosomal protein S17





- Molecule 21: 30S ribosomal protein S18



## • Molecule 22: 30S ribosomal protein S19

Chain AV:  75% 19% 7%


## • Molecule 23: 30S ribosomal protein S20

Chain AW:  84% 13%


## • Molecule 24: 30S ribosomal protein S21

Chain AX:  61% 31% 7%

## • Molecule 25: 5S ribosomal RNA


Chain BA:  38% 51% 11%

## • Molecule 26: 23S ribosomal RNA


Chain BB:  33% 55% 12%

G1381	G1382	A1383	A1384	A1385	A1386	A1387	A1388	A1389	A1390	A1391	A1392	A1393	A1394	A1395	A1396	A1397	A1398	A1399	A1400	G1401	A1402	A1403	A1404	A1405	A1406	G1407	G1408	G1409	G1410	G1411	A1412	A1413	A1414	G1415	G1416	G1417	G1418	A1419	A1420	G1421	G1422	G1423	G1424	G1425	G1426	G1427	A1428	A1429	A1430	A1431	A1432	A1433	A1434	A1435	A1436	A1437	A1438	A1439	A1440		
G1201	G1202	A1203	A1204	A1205	G1206	A1207	A1208	A1209	G1210	G1211	G1212	A1213	A1214	G1215	G1216	G1217	G1218	G1219	G1220	G1221	G1222	G1223	G1224	G1225	A1226	G1227	G1228	G1229	A1230	G1231	G1232	G1233	G1234	G1235	G1236	A1237	G1238	G1239	G1300	A1301	A1302	G1303	A1304	A1305	A1306	A1307	A1308	G1309	G1310	G1311	G1312	G1313	A1314	G1315	G1316	G1317	A1318	G1319	A1320		
U1201	U1202	U1203	U1204	U1205	U1206	U1207	U1208	U1209	U1210	U1211	U1212	U1213	U1214	U1215	U1216	U1217	U1218	U1219	U1220	U1221	U1222	U1223	U1224	U1225	U1226	U1227	U1228	U1229	U1230	U1231	U1232	U1233	U1234	U1235	U1236	U1237	U1238	U1239	U1300	U1301	U1302	U1303	U1304	U1305	U1306	U1307	U1308	U1309	U1310	U1311	U1312	U1313	U1314	U1315	U1316	U1317	U1318	U1319	U1320		
U1081	U1082	U1083	U1084	U1085	U1086	U1087	U1088	U1089	U1090	U1091	U1092	U1093	U1094	U1095	U1096	U1097	U1098	U1099	U1100	U1101	U1102	U1103	U1104	U1105	U1106	U1107	U1108	U1109	U1110	U1111	U1112	U1113	U1114	U1115	U1116	U1117	U1118	U1119	U1120	U1121	U1122	U1123	U1124	U1125	U1126	U1127	U1128	U1129	U1130	U1131	U1132	U1133	U1134	U1135	U1136	U1137	U1138	U1139	U1140		
U1141	A1142	A1143	A1144	C1145	C1146	A1147	U1148	U1149	U1150	A1151	C1152	C1153	G1154	A1155	A1156	G1157	C1158	U1159	U1160	C1161	G1162	G1163	C1164	A1165	G1166	C1167	G1168	A1169	C1170	G1171	C1172	U1173	U1174	A1175	U1176	C1177	C1178	U1179	U1180	U1181	U1182	U1183	U1184	G1185	U1186	U1187	U1188	U1189	G1190	G1191	U1192	U1193	A1194	U1195	U1196	G1197	U1198	U1199	A1200		
G1261	A1262	A1263	A1264	A1265	G1266	A1267	A1268	A1269	C1270	C1271	G1272	A1273	A1274	A1275	A1276	G1277	C1278	G1279	G1280	G1281	U1282	G1283	A1284	A1285	A1286	A1287	G1288	G1289	C1290	C1291	C1292	C1293	C1294	C1295	C1296	C1297	C1298	G1299	G1300	A1301	A1302	G1303	A1304	A1305	A1306	A1307	A1308	G1309	G1310	G1311	G1312	U1313	U1314	U1315	U1316	G1317	U1318	U1319	C1320		
A1321	A1322	G1323	G1324	U1325	U1326	A1327	A1328	A1329	G1330	G1331	G1332	G1333	G1334	A1335	A1336	G1337	G1338	G1339	U1340	A1341	A1342	G1343	U1344	A1345	G1346	A1347	G1348	A1349	C1350	G1351	U1352	A1353	A1354	G1355	G1356	G1357	G1358	A1359	G1360	G1361	G1362	G1363	G1364	A1365	A1366	A1367	G1368	G1369	C1370	G1371	U1372	A1373	A1374	U1375	G1376	G1377	A1378	U1379	G1380		
G361	A362	G363	C364	U365	C366	G367	A368	U369	A370	A371	G372	U373	A374	G375	G376	G377	C378	G379	G380	G381	A382	C383	A384	C385	G386	U387	G388	G389	U390	A391	U392	C393	C394	U395	G396	U397	C398	U399	G400	A401	A402	U403	A404	U405	G406	G407	G408	G409	G410	G411	A412	C413	C414	C415	U416	C417	U418	U419	C420		
C421	A422	G423	G424	G425	C426	U427	A428	A429	A430	U431	A432	C433	U434	A435	C436	U437	C438	A439	C440	A441	A442	A443	A444	C445	C446	U447	U448	A449	C450	U451	A452	A453	A454	C455	C456	U457	C458	U459	A460	C461	C462	G463	U464	C465	G466	C467	G468	A469	A470	A471	A472	G473	G474	C475	U476	A477	A478	U479	A480		
G481	A482	A483	C484	C485	U486	C487	G488	A489	A490	C491	A492	G493	C494	G495	A496	A497	G498	U499	G500	A501	A502	A503	A504	A505	G506	U507	U508	C509	C510	U511	C512	U513	A514	C515	C516	C517	G518	U519	U520	C521	C522	A523	A524	C525	U526	C527	U528	U529	G530	C531	A532	G533	U534	C535	U536	G537	A538	U539	C540		
A541	C542	G543	C544	U545	U546	A547	G548	A549	C550	C551	U552	G553	U554	G555	A556	A557	U558	G559	C560	A561	G562	A563	C564	G565	U566	U567	U568	C569	C570	U571	A572	C573	A574	C575	U576	C577	G578	G579	U580	C581	A582	G583	C584	G585	A586	C587	U588	U589	A590	U591	A592	G593	U594	C595	U596	G597	U598	A599	G600		
C601	A602	G603	C604	U605	U606	U607	A608	A609	C610	C611	G612	G613	A614	U615	A616	A617	G618	G619	G620	A621	G622	C623	C624	G625	U626	U627	U628	A629	C630	A631	C632	A633	C634	C635	U636	A637	C638	U639	C640	U641	U642	A643	C644	C645	U646	A647	C648	U649	C650	C651	U652	U653	A654	C655	U656	U657	U658	A659	C660		
A661	G662	G663	C664	U665	A666	U667	A668	G669	A670	C671	C672	C673	A674	U675	A676	A677	G678	C679	G680	A681	G682	U683	C684	A685	U686	U687	U688	A689	C690	C691	C692	A693	C694	C695	U696	C697	C698	A699	G700	U701	U702	G703	U704	C705	U706	G707	G708	U709	U710	C711	G712	U713	U714	A694	A695	A715	U716	C717	A718	C719	C720
A721	A722	G723	U724	G725	G726	A727	G728	G729	A730	C731	G732	G733	A734	C735	A736	G737	G738	A739	C740	U741	A742	A743	U744	G745	U746	U747	U748	A749	U750	U751	C752	A753	U754	C755	A756	G757	C758	A759	G760	U761	U762	G763	A764	C765	U766	U767	G768	U769	U770	G771	C772	U773	U774	A764	A765	A775	C776	G777	U778	C779	G780
A781	A782	A783	G784	G785	G786	C787	A788	A789	U790	C791	A792	G793	A794	C795	C796	G797	G798	A799	A800	A801	A802	U803	A804	C805	C806	U807	U808	A809	U810	U811	C812	U813	C814	C815	C816	C817	G818	A819	A820	A821	U822	U823	U824	A825	U826	U827	U828	A829	C830	G831	U832	A833	U834	A835	U836	C837	C838	U839	C840		
C841	U842	A843	A844	U845	U846	U847	C848	A849	U850	C851	U852	C853	C854	G855	C856	U857	C858	A859	C860	A861	A862	U863	C864	C865	A866	C867	U868	C869	U870	U871	U872	C873	C874	C875	C876	A877	A878	C879	G880	A881	C882	C883	U884	C885	U886	U887	C888	C889	C890	C891	A892	C893	U894	U895	U896	C897	C898	U899	A900		
C901	C902	C903	G904	U905	A906	C907	C908	A909	A910	A911	C912	U913	G914	C915	C916	A917	A918	U919	A920	C921	G922	U923	A924	A925	G926	A927	U928	C929	U930	U931	U932	A933	U934	C935	A936	C937	G938	C939	A940	A941	G942	C943	U944	A945	C946	C947	A948	U949	C950	C951	G952	C953	U954	U955	U956	C957	U958	U959	A960		
C961	G962	U963	C964	G965	G966	U967	C968	G969	U970	G971	A972	A973	G974	A975	G976	G977	G978	A979	A980	A981	C982	A983	A984	C985	C986	C987	A988	G989	A990	C991	C992	G993	C994	C995	A996	G997	C998	U999	A1000	A1001	G1002	U1003	C1004	C1005	C1006	U1007	A1008	A1009	A1010	G1011	U1012	C1013	A1014	U1015	U1016	G1017	U1018	U1019	A1020		
A1021	G1022	U1023	G1024	G1025	G1026	A1027	A1028	A1029	G1030	G1031	A1032	U1033	G1034	U1035	G1036	G1037	G1038	A1039	A1040	G1041	C1042	C1043	C1044	C1045	A1046	G1047	A1048	G1049	A1050	G1051	C1052	C1053	A1054	G1055	G1056	A1057	U1058	G1059	U1060	A1061	G1062	G1063	C1064	U1065	U1066	U1067	A1068	A1069	A1070	G1071	U1072	A1073	G1074	C1075	U1076	A1077	U1078	C1079	A1080		
U1081	U1082	U1083	U1084	U1085	U1086	U1087	U1088	U1089	U1090	U1091	C1092	U1093	U1094	U1095	U1096	U1097	U1098	U1099	C1100	U1101	G1102	A1103	C1104	U1105	G1106	U1107	U1108	C1109	U1110	A1111	U1112	U1113	C1114	G1115	G1116	C1117	U1118	U1119	C1120	C1121	G1122	C1123	G1124	G1125	A1126	U1127	U1128	A1129	U1130	U1131	U1132	A1133	A1134	C1135	U1136	G1137	U1138	U1139	U1140		
U1141	A1142	A1143	A1144	C1145	C1146	A1147	U1148	U1149	U1150	A1151	C1152	C1153	G1154	A1155	A1156	G1157	C1158	U1159	U1160	C1161	G1162	G1163	C1164	A1165	G1166	C1167	G1168	A1169	C1170	G1171	C1172	U1173	U1174	A1175	U1176	C1177	C1178	U1179	U1180	U1181	U1182	U1183	U1184	G1185	U1186	U1187	U1188	U1189	G1190	G1191	U1192	U1193	A1194	U1195	U1196	G1197	U1198	U1199	A1200		
G1201	G1202	A1203	A1204	A1205	G1206	A1207	A1208	A1209	G1210	G1211	G1212	A1213	A1214	G1215	G1216	G1217	G1218	G1219	G1220	G1221	G1222	G1223	G1224	G1225	A1226	G1227	G1228	G1229	A1230	G1231	G1232	G1233	G1234	G1235	G1236	A1237	G1238	G1239	G1300	A1301	A1302	G1303	A1304	A1305	A1306	A1307	A1308	G1309	G1310	G1311	G1312	U1313	U1314	U1315	U1316	G1317	U1318	U1319	A1260		
C1261	A1262	A1263	A1264	A1265	G1266	A1267	A1268	A1269	C1270	C1271	G1272	A1273	A1274	A1275	A1276	G1277	C1278	G1279	G1280	G1281	U1282	G1283	A1284	A1285	A1286	A1287	G1288	G1289	C1290	C1291	C1292	C1293	C1294	C1295	C1296	C1297	C1298	G1299	G1300	A1301	A1302	G1303	A1304	A1305	A1306	A1307	A1308	G1309	G1310	G1311	G1312	U13									


U2401	G2341	A2281	G2221	C2161	A2101	U2041	A1981	G1921	G1861	A1801	G1741	C1561	G1501	G1441
U2402	C2342	G2282	C2222	G2162	G2102	A2042	U1982	G1922	G1862	A1802	U1742	U1562	A1502	U1442
G2403	U2343	C2283	G2223	G2163	C2103	C2043	G1983	U1923	G1863	A1803	U1683	U1563	A1503	U1443
U2404	U2344	A2284	G2224	C2164	C2104	C2044	G1984	U1924	U1864	C1804	A1744	C1564	A1504	G1444
G2405	G2345	C2285	A2225	C2165	U2105	C2045	G1985	U1925	U1865	C1805	A1745	C1565	U1505	G1445
A2406	A2346	G2286	G2226	U2166	U2106	G2046	G1986	U1926	A1866	C1806	A1746	A1566	U1506	G1446
A2407	C2347	A2287	A2227	U2167	G2107	C2047	A1987	A1927	G1867	G1807	U1747	G1567	C1507	C1447
U2408	U2348	A2288	G2228	G2168	A2108	G2048	G1988	U1928	C1868	A1808	U1748	G1568	A1508	U1448
G2409	G2349	G2289	U2229	A2169	U2109	G2049	G1989	G1929	G1869	A1809	A1749	U1569	A1509	G1449
G2410	G2350	G2290	C2050	A2170	U2110	C2050	G1990	G1930	C1870	A1810	G1750	A1570	G1510	G1450
A2411	G2351	U2291	G2231	A2171	U2111	C2051	G1991	U1931	A1871	G1811	U1751	A1571	G1511	C1451
A2412	A2352	U2292	G2232	U2172	G2112	A2052	G1992	U1932	A1872	U1812	G1752	A1572	C1512	G1452
G2413	G2353	G2293	U2233	A2173	U2113	G2053	U1993	G1933	G1873	U1813	U1693	G1573	G1513	A1453
G2414	C2354	G2294	G2234	C2174	A2114	A2054	C1994	C1934	C1874	G1814	A1754	C1574	G1514	C1454
G2415	G2355	C2295	G2235	C2175	G2115	C2055	U1995	G1935	G1875	A1815	A1755	U1575	A1515	G1455
G2416	U2356	U2296	A2176	G2176	G2116	G2056	U1996	A1936	A1876	C1816	G1756	U1576	G1516	G1456
C2417	G2357	A2297	G2237	C2177	A2117	C2057	G1997	A1937	A1877	G1817	A1757	U1577	U1457	U1457
A2418	A2358	A2298	G2238	C2178	U2118	G2058	G1998	U1938	G1878	U1818	U1758	U1578	C1518	U1458
U2419	C2359	U2299	G2239	C2179	A2119	A2059	G1999	U1939	C1879	A1819	A1759	A1579	G1519	G1459
G2420	G2360	C2300	U2240	U2180	G2120	A2060	C2000	U1940	U1880	U1820	C1760	A1580	U1520	U1460
G2421	G2361	C2301	A2241	U2181	G2121	G2061	C2001	U1941	C1881	A1821	C1761	G1581	G1521	C1461
G2422	C2362	U2302	G2242	U2182	U2122	A2062	G2002	C1942	U1882	C1822	A1762	C1582	A1522	C1462
U2423	G2363	G2303	G2243	A2183	G2123	C2063	A2003	U1943	G1883	G1823	G1763	A1583	G1523	C1463
C2424	G2364	G2304	U2244	A2184	G2124	C2064	G2004	U1944	G1884	G1824	C1764	U1584	G1524	G1464
A2425	G2365	U2305	U2245	U2185	G2125	C2065	A2005	G1945	A1885	U1825	U1765	C1585	A1525	G1465
A2426	A2366	C2306	G2246	G2186	A2126	C2066	C2006	U1946	U1886	G1826	G1766	A1586	C1526	U1466
C2427	G2367	G2307	A2247	U2187	G2127	G2067	U2007	G1947	C1887	U1827	G1767	G1587	G1527	U1467
G2428	C2368	G2308	G2248	U2188	G2128	U2068	C2008	G1948	U1888	G1828	C1768	U1588	A1528	U1468
A2429	A2369	A2309	U2249	U2189	G2129	G2069	G2009	G1949	A1889	A1829	U1769	U1589	G1529	A1469
A2430	G2370	C2310	G2250	G2190	U2130	A2070	G2010	G1950	A1890	C1830	G1770	A1590	G1530	A1470
U2431	G2371	U2311	G2251	A2191	U2131	A2071	U2011	U1951	G1891	G1831	C1771	A1591	C1531	G1471
A2432	U2372	U2312	G2252	U2192	U2132	C2072	G2012	A1952	C1892	C1832	A1772	C1592	A1532	C1472
A2433	G2373	C2313	G2253	U2193	G2133	C2073	A2013	A1953	C1893	C1833	A1773	C1593	G1473	G1473
A2434	C2374	A2314	G2254	U2194	A2134	U2074	A2014	G1954	C1894	U1834	C1774	U1594	U1534	A1474
A2435	G2375	G2315	U2255	U2195	A2135	U2075	A2015	U1955	C1895	G1835	U1775	A1595	G1475	G1475
G2436	A2376	G2316	G2256	C2196	G2136	U2076	U2016	U1956	G1896	C1836	G1776	A1596	C1536	U1476
G2437	A2377	U2317	U2257	U2197	U2137	A2077	U2017	G1957	G1897	C1837	U1777	A1597	G1537	A1477
U2438	A2378	G2318	C2258	A2198	G2138	C2078	G2018	C1958	U1898	C1838	U1778	A1598	G1538	G1478
A2439	G2379	G2319	U2259	A2199	U2139	U2079	A2019	G1959	A1899	G1839	U1779	U1599	U1539	G1479
G2440	C2380	U2320	C2260	C2200	G2140	A2080	A2020	A1960	A1900	G1840	A1780	C1600	G1540	U1480
U2441	A2381	U2321	G2261	G2201	G2141	U2081	C2021	C1961	A1901	U1841	G1781	C1601	C1541	U1481
C2442	G2382	A2322	U2262	U2202	A2142	A2082	U2022	C1962	G1902	G1842	U1782	U1602	U1542	G1482
C2443	G2383	G2323	G2263	U2203	G2143	G2083	G2023	U1963	G1903	C1843	A1783	A1603	G1543	G1483
G2444	U2384	U2324	C2264	G2204	G2144	A2084	G2024	G1964	G1904	C1844	A1784	C1604	A1544	U1484
G2445	C2385	G2325	U2265	A2205	C2145	U2085	C2025	C1965	C1905	G1845	A1785	C1605	A1545	U1485
G2446	A2386	C2326	A2266	C2206	C2146	U2086	U2026	A1966	G1906	G1846	A1786	C1606	G1546	U1486
A2448	A2388	A2328	G2268	C2207	A2147	G2087	U2027	G1967	G1907	A1847	A1787	C1607	C1547	U1487
U2449	G2389	U2329	G2269	G2209	U2149	A2089	G2029	G1968	C1908	G1848	C1788	A1608	A1548	C1488
A2450	U2390	G2330	A2270	U2210	C2150	A2090	A2030	A1969	C1909	G1849	A1789	A1609	A1549	C1489
A2451	G2391	G2331	G2271	A2211	U2151	C2091	A2031	U1971	G1911	U1851	C1791	A1611	C1551	A1491
C2452	A2392	U2332	U2272	A2212	G2152	U2092	G2032	G1972	A1912	U1852	A1792	C1612	A1552	G1492
A2453	U2393	A2333	A2273	U2213	C2153	G2093	A2033	G1973	A1913	A1853	C1793	G1613	A1553	C1493
G2454	C2394	U2334	A2274	C2214	A2154	A2094	U2034	C1974	C1914	A1854	A1794	A1614	A1554	A1494
G2455	C2395	G2335	G2275	G2215	U2155	A2095	G2035	G1975	3TD1915	U1855	C1795	G1615	G1555	A1495
A2456	G2396	A2336	G2276	G2216	G2156	C2096	C2036	U1976	A1916	U1856	U1796	A1616	G1556	A1496
U2457	G2397	G2337	G2277	G2217	G2157	A2097	A2037	A1977	U1917	G1857	G1797	C1617	C1557	U1497
G2458	U2398	C2338	A2278	G2218	A2158	U2098	U2038	A1978	U1918	A1858	G1798	A1618	C1558	C1498
A2459	G2399	C2339	G2279	U2219	G2159	U2099	G2039	A1979	A1919	U1859	G1799	G1619	C1559	C1499
U2460	G2400	A2340	G2280	U2220	G2160	G2100	G2040	G1980	C1920	G1860	C1900	G1620	G1560	G1500




- Molecule 27: 50S ribosomal protein L1




- Molecule 28: 50S ribosomal protein L2




- Molecule 29: 50S ribosomal protein L3






- Molecule 30: 50S ribosomal protein L4

Chain BF: 74% 20% 5%




- Molecule 31: 50S ribosomal protein L5

Chain BG: 70% 26% ..




- Molecule 32: 50S ribosomal protein L6

Chain BH: 79% 16% 5%




- Molecule 33: 50S ribosomal protein L9


Chain BI: 6% 78% 20% .




- Molecule 34: 50S ribosomal protein L10




- Molecule 35: 50S ribosomal protein L11




- Molecule 36: 50S ribosomal protein L13




- Molecule 37: 50S ribosomal protein L14



- Molecule 38: 50S ribosomal protein L15



- Molecule 39: 50S ribosomal protein L16






- Molecule 40: 50S ribosomal protein L17

Chain BP: 75% 22% .



- Molecule 41: 50S ribosomal protein L18

Chain BQ: 80% 17% .



- Molecule 42: 50S ribosomal protein L19

Chain BR: 76% 18% 5%



- Molecule 43: 50S ribosomal protein L20

Chain BS: 71% 26% . .



- Molecule 44: 50S ribosomal protein L21

Chain BT: 77% 19% .





- Molecule 45: 50S ribosomal protein L22

Chain BU: 75% 24% .




- Molecule 46: 50S ribosomal protein L23

Chain BV:  78% 19% .




- Molecule 47: 50S ribosomal protein L24

Chain BW:  79% 19% .




- Molecule 48: 50S ribosomal protein L25

Chain BX:  80% 16% .




- Molecule 49: 50S ribosomal protein L27

Chain BY:  74% 20% . .





- Molecule 50: 50S ribosomal protein L28

Chain BZ:  81% 17% .




- Molecule 51: 50S ribosomal protein L29

Chain B0:  75% 24% .




- Molecule 52: 50S ribosomal protein L30

Chain B1:  76% 21% .




- Molecule 53: 50S ribosomal protein L31

Chain B2:  73% 19% 7%





- Molecule 54: 50S ribosomal protein L32

Chain B3:  71% 21% 7%



- Molecule 55: 50S ribosomal protein L33

Chain B4:  83% 13% 0%





- Molecule 56: 50S ribosomal protein L34

Chain B5:  65% 30% 5%



- Molecule 57: 50S ribosomal protein L35

Chain B6:  80% 19% 1%



- Molecule 58: 50S ribosomal protein L36

Chain B7:  71% 29% 0%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	37000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	58269	Depositor
Image detector	TVIPS TEMCAM-F415 (4k x 4k)	Depositor
Maximum map value	1.575	Depositor
Minimum map value	-0.492	Depositor
Average map value	0.029	Depositor
Map value standard deviation	0.204	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	375.0, 375.0, 375.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.5, 1.5, 1.5	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMC, OMG, 2MG, MA6, 3TD, FME, OMU, PSU, 1MG, MIA, 5MC, H2U, 2MA, 4OC, 4SU, UR3, 6MZ, 7MG, CH, 5MU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	AA	3.08	3895/36769 (10.6%)	3.56	8470/57354 (14.8%)
2	AB	3.15	171/1600 (10.7%)	3.56	384/2492 (15.4%)
3	AC	3.09	117/1108 (10.6%)	3.61	256/1724 (14.8%)
4	AD	3.09	193/1721 (11.2%)	3.54	391/2683 (14.6%)
5	AE	1.51	6/1904 (0.3%)	1.92	45/2565 (1.8%)
6	AF	1.52	7/1852 (0.4%)	1.92	47/2490 (1.9%)
7	AG	1.49	7/1665 (0.4%)	2.08	46/2227 (2.1%)
8	AH	1.51	6/1239 (0.5%)	1.87	24/1664 (1.4%)
9	AI	1.55	6/1121 (0.5%)	1.91	29/1509 (1.9%)
10	AJ	1.47	2/1422 (0.1%)	2.07	39/1908 (2.0%)
11	AK	1.53	8/989 (0.8%)	1.89	16/1326 (1.2%)
12	AL	1.52	4/1048 (0.4%)	2.03	33/1394 (2.4%)
13	AM	1.50	5/835 (0.6%)	2.00	23/1127 (2.0%)
14	AN	1.54	6/982 (0.6%)	1.99	24/1323 (1.8%)
15	AO	1.52	4/969 (0.4%)	2.06	33/1300 (2.5%)
16	AP	1.57	5/919 (0.5%)	2.09	26/1226 (2.1%)
17	AQ	1.60	8/817 (1.0%)	1.99	27/1088 (2.5%)
18	AR	1.44	0/724	2.09	30/966 (3.1%)
19	AS	1.53	4/659 (0.6%)	1.92	13/884 (1.5%)
20	AT	1.56	2/681 (0.3%)	1.83	18/913 (2.0%)
21	AU	1.59	7/637 (1.1%)	2.19	20/851 (2.4%)
22	AV	1.48	2/744 (0.3%)	1.98	20/995 (2.0%)
23	AW	1.46	1/676 (0.1%)	1.88	14/895 (1.6%)
24	AX	1.61	4/598 (0.7%)	2.21	25/792 (3.2%)
25	BA	3.02	293/2869 (10.2%)	3.44	610/4474 (13.6%)
26	BB	3.09	7348/69257 (10.6%)	3.54	15639/108040 (14.5%)
27	BC	1.46	3/1748 (0.2%)	1.85	33/2355 (1.4%)
28	BD	1.51	10/2131 (0.5%)	2.03	68/2863 (2.4%)
29	BE	1.54	3/1586 (0.2%)	2.03	41/2134 (1.9%)
30	BF	1.53	6/1571 (0.4%)	1.97	51/2113 (2.4%)
31	BG	1.58	11/1444 (0.8%)	1.94	33/1937 (1.7%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	BH	1.50	7/1343 (0.5%)	1.89	33/1816 (1.8%)
33	BI	1.50	8/1122 (0.7%)	1.93	22/1515 (1.5%)
34	BJ	1.52	4/1247 (0.3%)	1.95	29/1679 (1.7%)
35	BK	1.45	4/1046 (0.4%)	1.81	17/1410 (1.2%)
36	BL	1.53	5/1152 (0.4%)	1.98	24/1551 (1.5%)
37	BM	1.53	3/956 (0.3%)	1.99	28/1279 (2.2%)
38	BN	1.53	4/1062 (0.4%)	1.93	21/1413 (1.5%)
39	BO	1.53	6/1093 (0.5%)	1.96	31/1460 (2.1%)
40	BP	1.53	3/1021 (0.3%)	2.11	37/1364 (2.7%)
41	BQ	1.60	4/910 (0.4%)	1.96	26/1219 (2.1%)
42	BR	1.53	1/929 (0.1%)	2.18	29/1242 (2.3%)
43	BS	1.57	5/960 (0.5%)	2.38	37/1278 (2.9%)
44	BT	1.58	2/829 (0.2%)	2.03	21/1107 (1.9%)
45	BU	1.43	4/864 (0.5%)	2.00	28/1156 (2.4%)
46	BV	1.52	3/794 (0.4%)	1.92	14/1060 (1.3%)
47	BW	1.46	1/797 (0.1%)	2.06	20/1062 (1.9%)
48	BX	1.48	1/766 (0.1%)	1.93	16/1025 (1.6%)
49	BY	1.49	4/642 (0.6%)	2.00	16/848 (1.9%)
50	BZ	1.50	0/635	1.84	17/848 (2.0%)
51	B0	1.43	1/510 (0.2%)	2.02	13/677 (1.9%)
52	B1	1.54	1/453 (0.2%)	1.96	12/605 (2.0%)
53	B2	1.58	4/559 (0.7%)	1.92	13/745 (1.7%)
54	B3	1.55	2/450 (0.4%)	2.05	10/599 (1.7%)
55	B4	1.41	0/448	1.83	6/594 (1.0%)
56	B5	1.50	1/380 (0.3%)	2.36	22/498 (4.4%)
57	B6	1.43	0/513	1.79	11/676 (1.6%)
58	B7	1.44	1/303 (0.3%)	2.17	7/397 (1.8%)
All	All	2.70	12223/164069 (7.4%)	3.19	27088/244735 (11.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	910
2	AB	0	43
3	AC	0	30
4	AD	0	37
5	AE	0	1
6	AF	0	3
7	AG	0	9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AH	0	2
9	AI	0	5
10	AJ	0	6
11	AK	0	2
12	AL	0	3
13	AM	0	2
14	AN	0	4
15	AO	0	9
16	AP	0	4
17	AQ	0	1
18	AR	0	3
19	AS	0	3
20	AT	0	2
21	AU	0	5
22	AV	0	3
23	AW	0	2
24	AX	0	4
25	BA	0	65
26	BB	0	1685
27	BC	0	1
28	BD	0	10
29	BE	0	8
30	BF	0	6
31	BG	0	7
32	BH	0	6
33	BI	0	3
34	BJ	0	4
35	BK	0	5
36	BL	0	8
37	BM	0	4
38	BN	0	2
39	BO	0	4
40	BP	0	2
41	BQ	0	2
42	BR	0	5
43	BS	0	6
44	BT	0	3
45	BU	0	1
46	BV	0	2
47	BW	0	1
48	BX	0	5
49	BY	0	4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
50	BZ	0	1
51	B0	0	1
53	B2	0	5
54	B3	0	4
55	B4	0	3
56	B5	0	2
57	B6	0	1
All	All	0	2959

The worst 5 of 12223 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2448	A	N3-C4	21.86	1.48	1.34
1	AA	451	A	N3-C4	17.17	1.45	1.34
26	BB	492	A	N7-C5	-16.23	1.29	1.39
26	BB	2241	A	N3-C4	15.98	1.44	1.34
26	BB	833	A	N7-C5	-15.82	1.29	1.39

The worst 5 of 27088 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	164	ARG	NE-CZ-NH2	-25.71	107.44	120.30
7	AG	164	ARG	NE-CZ-NH1	23.24	131.92	120.30
7	AG	114	ARG	NE-CZ-NH2	-22.43	109.08	120.30
26	BB	1929	G	C2-N3-C4	22.14	122.97	111.90
26	BB	2512	C	N3-C4-C5	-21.97	113.11	121.90

There are no chirality outliers.

5 of 2959 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	1	A	Sidechain
1	AA	2	A	Sidechain
1	AA	3	A	Sidechain
1	AA	5	U	Sidechain
1	AA	6	G	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16599	0	0
2	AB	1627	0	841	0	0
3	AC	993	0	498	0	0
4	AD	1641	0	839	0	0
5	AE	1872	0	1885	0	0
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1294	0	0
26	BB	62351	0	31277	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103803	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	219 (92%)	10 (4%)	9 (4%)	3	24
6	AF	230/232 (99%)	215 (94%)	10 (4%)	5 (2%)	6	35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	AG	203/205 (99%)	187 (92%)	13 (6%)	3 (2%)	10	46
8	AH	164/166 (99%)	151 (92%)	11 (7%)	2 (1%)	13	50
9	AI	133/135 (98%)	122 (92%)	10 (8%)	1 (1%)	19	60
10	AJ	176/178 (99%)	164 (93%)	10 (6%)	2 (1%)	14	52
11	AK	127/129 (98%)	119 (94%)	7 (6%)	1 (1%)	19	60
12	AL	127/129 (98%)	114 (90%)	10 (8%)	3 (2%)	6	33
13	AM	101/103 (98%)	92 (91%)	4 (4%)	5 (5%)	2	20
14	AN	126/128 (98%)	111 (88%)	13 (10%)	2 (2%)	9	44
15	AO	121/123 (98%)	105 (87%)	13 (11%)	3 (2%)	5	32
16	AP	115/117 (98%)	109 (95%)	4 (4%)	2 (2%)	9	42
17	AQ	98/100 (98%)	85 (87%)	6 (6%)	7 (7%)	1	14
18	AR	86/88 (98%)	80 (93%)	5 (6%)	1 (1%)	13	50
19	AS	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
20	AT	81/83 (98%)	72 (89%)	7 (9%)	2 (2%)	5	32
21	AU	72/74 (97%)	61 (85%)	7 (10%)	4 (6%)	2	19
22	AV	89/91 (98%)	82 (92%)	6 (7%)	1 (1%)	14	52
23	AW	84/86 (98%)	79 (94%)	4 (5%)	1 (1%)	13	50
24	AX	68/70 (97%)	61 (90%)	4 (6%)	3 (4%)	2	22
27	BC	232/234 (99%)	215 (93%)	13 (6%)	4 (2%)	9	42
28	BD	270/272 (99%)	238 (88%)	23 (8%)	9 (3%)	4	26
29	BE	207/209 (99%)	173 (84%)	27 (13%)	7 (3%)	3	26
30	BF	199/201 (99%)	173 (87%)	17 (8%)	9 (4%)	2	22
31	BG	176/178 (99%)	152 (86%)	13 (7%)	11 (6%)	1	17
32	BH	174/176 (99%)	158 (91%)	13 (8%)	3 (2%)	9	42
33	BI	147/149 (99%)	131 (89%)	11 (8%)	5 (3%)	3	26
34	BJ	162/164 (99%)	157 (97%)	4 (2%)	1 (1%)	25	66
35	BK	139/141 (99%)	133 (96%)	5 (4%)	1 (1%)	22	63
36	BL	140/142 (99%)	119 (85%)	14 (10%)	7 (5%)	2	20
37	BM	121/123 (98%)	109 (90%)	9 (7%)	3 (2%)	5	32
38	BN	142/144 (99%)	126 (89%)	13 (9%)	3 (2%)	7	36
39	BO	134/136 (98%)	122 (91%)	10 (8%)	2 (2%)	10	46

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	BP	125/127 (98%)	116 (93%)	8 (6%)	1 (1%)	19	60
41	BQ	115/117 (98%)	109 (95%)	6 (5%)	0	100	100
42	BR	112/114 (98%)	97 (87%)	12 (11%)	3 (3%)	5	31
43	BS	115/117 (98%)	107 (93%)	5 (4%)	3 (3%)	5	31
44	BT	101/103 (98%)	89 (88%)	7 (7%)	5 (5%)	2	20
45	BU	108/110 (98%)	99 (92%)	6 (6%)	3 (3%)	5	30
46	BV	98/100 (98%)	75 (76%)	19 (19%)	4 (4%)	3	23
47	BW	101/103 (98%)	89 (88%)	10 (10%)	2 (2%)	7	38
48	BX	92/94 (98%)	86 (94%)	5 (5%)	1 (1%)	14	52
49	BY	82/84 (98%)	65 (79%)	12 (15%)	5 (6%)	1	17
50	BZ	75/77 (97%)	67 (89%)	5 (7%)	3 (4%)	3	23
51	B0	61/63 (97%)	56 (92%)	3 (5%)	2 (3%)	4	26
52	B1	56/58 (97%)	54 (96%)	2 (4%)	0	100	100
53	B2	68/70 (97%)	63 (93%)	4 (6%)	1 (2%)	10	46
54	B3	54/56 (96%)	48 (89%)	3 (6%)	3 (6%)	2	19
55	B4	52/54 (96%)	49 (94%)	1 (2%)	2 (4%)	3	24
56	B5	44/46 (96%)	40 (91%)	2 (4%)	2 (4%)	2	22
57	B6	62/64 (97%)	58 (94%)	3 (5%)	1 (2%)	9	44
58	B7	36/38 (95%)	29 (81%)	5 (14%)	2 (6%)	2	19
All	All	6319/6423 (98%)	5707 (90%)	447 (7%)	165 (3%)	8	31

5 of 165 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	AH	77	ASN
13	AM	57	VAL
17	AQ	2	LYS
17	AQ	61	ASN
17	AQ	70	HIS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	186 (94%)	12 (6%)	18	44
6	AF	189/189 (100%)	180 (95%)	9 (5%)	25	51
7	AG	172/172 (100%)	166 (96%)	6 (4%)	36	59
8	AH	125/125 (100%)	116 (93%)	9 (7%)	14	39
9	AI	116/116 (100%)	109 (94%)	7 (6%)	19	44
10	AJ	146/146 (100%)	138 (94%)	8 (6%)	21	47
11	AK	104/104 (100%)	100 (96%)	4 (4%)	33	57
12	AL	106/106 (100%)	102 (96%)	4 (4%)	33	57
13	AM	90/90 (100%)	84 (93%)	6 (7%)	16	41
14	AN	98/98 (100%)	95 (97%)	3 (3%)	40	62
15	AO	103/103 (100%)	98 (95%)	5 (5%)	25	50
16	AP	95/95 (100%)	94 (99%)	1 (1%)	73	84
17	AQ	83/83 (100%)	79 (95%)	4 (5%)	25	51
18	AR	76/76 (100%)	74 (97%)	2 (3%)	46	66
19	AS	65/65 (100%)	60 (92%)	5 (8%)	13	37
20	AT	77/77 (100%)	71 (92%)	6 (8%)	12	36
21	AU	64/64 (100%)	60 (94%)	4 (6%)	18	43
22	AV	78/78 (100%)	70 (90%)	8 (10%)	7	25
23	AW	65/65 (100%)	62 (95%)	3 (5%)	27	52
24	AX	60/60 (100%)	57 (95%)	3 (5%)	24	49
27	BC	181/181 (100%)	173 (96%)	8 (4%)	28	53
28	BD	217/217 (100%)	210 (97%)	7 (3%)	39	61
29	BE	164/164 (100%)	153 (93%)	11 (7%)	16	41
30	BF	165/165 (100%)	157 (95%)	8 (5%)	25	51
31	BG	149/149 (100%)	141 (95%)	8 (5%)	22	47
32	BH	137/137 (100%)	129 (94%)	8 (6%)	20	45
33	BI	114/114 (100%)	107 (94%)	7 (6%)	18	44
34	BJ	122/122 (100%)	115 (94%)	7 (6%)	20	45
35	BK	109/109 (100%)	106 (97%)	3 (3%)	43	65
36	BL	116/116 (100%)	111 (96%)	5 (4%)	29	53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	BM	104/104 (100%)	96 (92%)	8 (8%)	13	37
38	BN	103/103 (100%)	96 (93%)	7 (7%)	16	41
39	BO	109/109 (100%)	102 (94%)	7 (6%)	17	42
40	BP	103/103 (100%)	98 (95%)	5 (5%)	25	50
41	BQ	87/87 (100%)	84 (97%)	3 (3%)	37	60
42	BR	99/99 (100%)	94 (95%)	5 (5%)	24	48
43	BS	89/89 (100%)	88 (99%)	1 (1%)	73	84
44	BT	84/84 (100%)	79 (94%)	5 (6%)	19	44
45	BU	93/93 (100%)	90 (97%)	3 (3%)	39	61
46	BV	84/84 (100%)	77 (92%)	7 (8%)	11	34
47	BW	84/84 (100%)	79 (94%)	5 (6%)	19	44
48	BX	78/78 (100%)	73 (94%)	5 (6%)	17	42
49	BY	62/62 (100%)	57 (92%)	5 (8%)	11	35
50	BZ	67/67 (100%)	66 (98%)	1 (2%)	65	80
51	B0	55/55 (100%)	50 (91%)	5 (9%)	9	29
52	B1	48/48 (100%)	43 (90%)	5 (10%)	7	24
53	B2	62/62 (100%)	55 (89%)	7 (11%)	6	21
54	B3	47/47 (100%)	44 (94%)	3 (6%)	17	42
55	B4	48/48 (100%)	47 (98%)	1 (2%)	53	72
56	B5	38/38 (100%)	35 (92%)	3 (8%)	12	35
57	B6	51/51 (100%)	46 (90%)	5 (10%)	8	26
58	B7	34/34 (100%)	32 (94%)	2 (6%)	19	45
All	All	5213/5213 (100%)	4934 (95%)	279 (5%)	26	47

5 of 279 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
46	BV	87	LEU
48	BX	10	LYS
53	B2	31	ASP
22	AV	13	HIS
21	AU	65	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	300 (19%)	101 (6%)
2	AB	74/76 (97%)	24 (32%)	7 (9%)
25	BA	119/120 (99%)	17 (14%)	10 (8%)
26	BB	2898/2904 (99%)	525 (18%)	177 (6%)
3	AC	46/47 (97%)	23 (50%)	12 (26%)
4	AD	76/77 (98%)	10 (13%)	5 (6%)
All	All	4751/4766 (99%)	899 (18%)	312 (6%)

5 of 899 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	3	A
1	AA	4	U
1	AA	5	U
1	AA	6	G
1	AA	7	A

5 of 312 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
26	BB	1567	G
26	BB	2434	A
26	BB	1697	G
26	BB	2068	U
26	BB	2756	U

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	5MU	AD	55	4	19,22,23	1.67	5 (26%)	28,32,35	1.45	4 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
26	PSU	BB	2457	26	18,21,22	1.56	4 (22%)	22,30,33	2.10	7 (31%)
4	OMC	AD	33	4	19,22,23	1.09	1 (5%)	26,31,34	1.81	9 (34%)
2	MIA	AB	37	2	24,31,32	2.06	8 (33%)	26,44,47	2.93	7 (26%)
1	4OC	AA	1402	1	20,23,24	1.58	6 (30%)	26,32,35	1.86	10 (38%)
26	H2U	BB	2449	26	18,21,22	1.32	1 (5%)	21,30,33	1.51	3 (14%)
26	PSU	BB	2504	26	18,21,22	2.01	6 (33%)	22,30,33	2.02	7 (31%)
26	1MG	BB	745	26	18,26,27	1.82	5 (27%)	19,39,42	2.43	4 (21%)
2	4SU	AB	8	2	18,21,22	1.67	3 (16%)	26,30,33	1.57	5 (19%)
26	PSU	BB	2605	26	18,21,22	1.57	4 (22%)	22,30,33	1.30	2 (9%)
26	2MA	BB	2503	26	17,25,26	1.42	5 (29%)	17,37,40	1.61	5 (29%)
1	MA6	AA	1519	1	18,26,27	2.18	8 (44%)	19,38,41	1.65	4 (21%)
2	7MG	AB	46	2	22,26,27	5.65	7 (31%)	29,39,42	1.80	2 (6%)
26	PSU	BB	1917	26	18,21,22	2.06	8 (44%)	22,30,33	2.52	8 (36%)
26	7MG	BB	2069	26	22,26,27	4.18	3 (13%)	29,39,42	1.70	5 (17%)
2	PSU	AB	55	2	18,21,22	1.31	1 (5%)	22,30,33	1.75	7 (31%)
26	5MU	BB	1939	26	19,22,23	1.72	3 (15%)	28,32,35	1.80	4 (14%)
26	5MC	BB	1962	26	18,22,23	1.57	3 (16%)	26,32,35	1.99	6 (23%)
1	2MG	AA	966	1	18,26,27	1.66	6 (33%)	16,38,41	2.07	4 (25%)
4	4SU	AD	8	4	18,21,22	1.95	3 (16%)	26,30,33	2.36	9 (34%)
2	H2U	AB	16	2	18,21,22	1.57	5 (27%)	21,30,33	1.22	3 (14%)
26	PSU	BB	955	26	18,21,22	1.36	2 (11%)	22,30,33	1.92	6 (27%)
2	5MU	AB	54	2	19,22,23	1.70	5 (26%)	28,32,35	1.84	7 (25%)
26	OMG	BB	2251	26	18,26,27	1.77	5 (27%)	19,38,41	1.50	6 (31%)
26	CH	BB	2575	26	16,21,22	1.54	3 (18%)	20,30,33	1.56	4 (20%)
26	2MG	BB	1835	26	18,26,27	1.98	7 (38%)	16,38,41	0.93	0
2	H2U	AB	17	2	18,21,22	1.36	1 (5%)	21,30,33	1.90	4 (19%)
26	2MG	BB	2445	26	18,26,27	1.23	3 (16%)	16,38,41	1.48	2 (12%)
4	PSU	AD	56	4	18,21,22	1.90	3 (16%)	22,30,33	2.16	6 (27%)
1	5MC	AA	967	1	18,22,23	1.40	3 (16%)	26,32,35	1.84	9 (34%)
1	5MC	AA	1407	1	18,22,23	1.35	2 (11%)	26,32,35	2.11	9 (34%)
26	6MZ	BB	1618	26	18,25,26	2.11	6 (33%)	16,36,39	1.56	3 (18%)
26	5MU	BB	747	26	19,22,23	1.93	7 (36%)	28,32,35	1.95	6 (21%)
1	2MG	AA	1516	1	18,26,27	1.26	1 (5%)	16,38,41	1.69	3 (18%)
26	6MZ	BB	2030	26	18,25,26	1.75	5 (27%)	16,36,39	2.35	5 (31%)
26	OMC	BB	2498	26	19,22,23	1.28	3 (15%)	26,31,34	1.09	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PSU	AA	516	1	18,21,22	1.97	5 (27%)	22,30,33	1.33	3 (13%)
26	PSU	BB	1911	26	18,21,22	1.92	4 (22%)	22,30,33	1.24	3 (13%)
26	3TD	BB	1915	26	18,22,23	1.52	3 (16%)	22,32,35	1.86	5 (22%)
1	7MG	AA	527	1	22,26,27	6.42	5 (22%)	29,39,42	1.86	5 (17%)
26	OMU	BB	2552	26	19,22,23	1.22	1 (5%)	26,31,34	2.06	11 (42%)
4	H2U	AD	21	4	18,21,22	1.75	4 (22%)	21,30,33	1.90	5 (23%)
1	UR3	AA	1498	1	19,22,23	1.04	1 (5%)	26,32,35	1.39	4 (15%)
26	PSU	BB	2580	26	18,21,22	1.45	3 (16%)	22,30,33	1.40	3 (13%)
1	2MG	AA	1207	1	18,26,27	2.11	6 (33%)	16,38,41	1.71	4 (25%)
2	H2U	AB	20	2	18,21,22	1.27	2 (11%)	21,30,33	1.31	2 (9%)
26	PSU	BB	746	26	18,21,22	1.79	5 (27%)	22,30,33	1.57	5 (22%)
2	OMC	AB	32	2	19,22,23	1.32	3 (15%)	26,31,34	1.90	6 (23%)
1	MA6	AA	1518	1	18,26,27	1.84	4 (22%)	19,38,41	2.37	4 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	5MU	AD	55	4	-	0/7/25/26	0/2/2/2
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
4	OMC	AD	33	4	-	0/9/27/28	0/2/2/2
2	MIA	AB	37	2	-	1/11/33/34	0/3/3/3
1	4OC	AA	1402	1	-	0/9/29/30	0/2/2/2
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
2	4SU	AB	8	2	-	6/7/25/26	0/2/2/2
26	PSU	BB	2605	26	-	1/7/25/26	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
2	7MG	AB	46	2	-	2/7/37/38	0/3/3/3
26	PSU	BB	1917	26	-	2/7/25/26	0/2/2/2
26	7MG	BB	2069	26	-	0/7/37/38	0/3/3/3
2	PSU	AB	55	2	-	4/7/25/26	0/2/2/2
26	5MU	BB	1939	26	-	0/7/25/26	0/2/2/2
26	5MC	BB	1962	26	-	2/7/25/26	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	AA	966	1	-	1/5/27/28	0/3/3/3
4	4SU	AD	8	4	-	0/7/25/26	0/2/2/2
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2
2	5MU	AB	54	2	-	0/7/25/26	0/2/2/2
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
26	CH	BB	2575	26	-	0/5/25/26	0/2/2/2
26	2MG	BB	1835	26	-	1/5/27/28	0/3/3/3
2	H2U	AB	17	2	-	0/7/38/39	0/2/2/2
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
4	PSU	AD	56	4	-	1/7/25/26	0/2/2/2
1	5MC	AA	967	1	-	3/7/25/26	0/2/2/2
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
26	5MU	BB	747	26	-	0/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
26	6MZ	BB	2030	26	-	0/5/27/28	0/3/3/3
26	OMC	BB	2498	26	-	0/9/27/28	0/2/2/2
1	PSU	AA	516	1	-	0/7/25/26	0/2/2/2
26	PSU	BB	1911	26	-	2/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	1/7/25/26	0/2/2/2
1	7MG	AA	527	1	-	1/7/37/38	0/3/3/3
26	OMU	BB	2552	26	-	1/9/27/28	0/2/2/2
4	H2U	AD	21	4	-	3/7/38/39	0/2/2/2
1	UR3	AA	1498	1	-	0/7/25/26	0/2/2/2
26	PSU	BB	2580	26	-	1/7/25/26	0/2/2/2
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
2	H2U	AB	20	2	-	0/7/38/39	0/2/2/2
26	PSU	BB	746	26	-	4/7/25/26	0/2/2/2
2	OMC	AB	32	2	-	2/9/27/28	0/2/2/2
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3

The worst 5 of 197 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	527	7MG	C8-N9	-29.36	1.29	1.46
2	AB	46	7MG	C8-N9	-25.16	1.31	1.46
26	BB	2069	7MG	C8-N9	-18.65	1.35	1.46
4	AD	8	4SU	C5-C4	-6.73	1.33	1.42
2	AB	37	MIA	C2-S10	5.60	1.80	1.75

The worst 5 of 247 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	37	MIA	C11-S10-C2	11.77	111.06	102.27
26	BB	745	1MG	C2-N1-C6	8.17	127.59	120.95
1	AA	1518	MA6	N1-C6-N6	7.81	125.28	117.06
2	AB	46	7MG	N9-C8-N7	7.64	114.30	103.38
1	AA	527	7MG	N9-C8-N7	7.06	113.48	103.38

There are no chirality outliers.

5 of 39 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	AB	8	4SU	C2'-C1'-N1-C6
2	AB	32	OMC	O4'-C1'-N1-C2
2	AB	32	OMC	O4'-C1'-N1-C6
2	AB	37	MIA	C12-C13-C14-C16
2	AB	55	PSU	C2'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
59	TRP	AB	101	60,2	14,15,16	1.66	3 (21%)	13,20,22	1.34	3 (23%)
60	FME	BB	3001	59	8,9,10	1.03	0	7,9,11	2.50	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	2/7/9/11	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-4.73	1.22	1.42
59	AB	101	TRP	CE3-CD2	-2.20	1.37	1.42
59	AB	101	TRP	CH2-CZ2	2.20	1.41	1.36

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
60	BB	3001	FME	CA-N-CN	4.83	130.26	122.82
59	AB	101	TRP	CZ3-CH2-CZ2	-2.37	117.12	120.44
60	BB	3001	FME	O1-CN-N	-2.35	119.08	125.27
59	AB	101	TRP	OXT-C-CA	2.22	120.29	111.52
60	BB	3001	FME	CG-CB-CA	-2.18	106.89	112.95

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA
60	BB	3001	FME	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	AA	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	AA	1457:G	O3'	1458:G	P	1.77


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5362. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 125



Y Index: 125




Z Index: 125


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 130



Y Index: 130




Z Index: 114


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4817 nm<sup>3</sup>; this corresponds to an approximate mass of 4352 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.087 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-5362 and PDB model 4V6R. Per-residue inclusion information can be found in section [3](#) on page [15](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

















































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9940	0.0730
AA	0.9990	0.0890
AB	0.9640	0.0680
AC	0.8950	0.0140
AD	0.9890	0.0900
AE	0.9460	0.0440
AF	0.9980	0.0620
AG	1.0000	0.0410
AH	0.9790	0.0420
AI	0.9770	0.0440
AJ	0.9930	0.0580
AK	0.9960	0.0360
AL	0.9840	0.0480
AM	1.0000	0.0190
AN	0.9960	0.0410
AO	0.9850	0.0310
AP	0.9850	0.0460
AQ	0.9960	0.0380
AR	1.0000	0.0560
AS	1.0000	0.0230
AT	1.0000	0.0420
AU	1.0000	0.0380
AV	0.9610	0.0280
AW	1.0000	0.0430
AX	1.0000	0.0360
B0	1.0000	0.0200
B1	0.9980	0.0540
B2	0.9670	0.0250
B3	1.0000	0.0320
B4	1.0000	0.0530
B5	1.0000	-0.0070
B6	1.0000	-0.0070
B7	1.0000	0.0400
BA	1.0000	0.0990
BB	1.0000	0.0910



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
BC	 0.9690	 0.0360
BD	 1.0000	 0.0220
BE	 0.9970	 0.0200
BF	 0.9990	 0.0620
BG	 0.9950	 0.0600
BH	 0.9950	 0.0250
BI	 0.9100	 0.0260
BJ	 0.8810	 0.0570
BK	 0.9750	 0.0420
BL	 1.0000	 0.0300
BM	 0.9910	 0.0580
BN	 1.0000	 0.0250
BO	 1.0000	 0.0430
BP	 1.0000	 0.0240
BQ	 0.9930	 0.0530
BR	 0.9900	 0.0190
BS	 0.9950	 0.0210
BT	 1.0000	 0.0630
BU	 0.9990	 0.0110
BV	 0.9960	 0.0250
BW	 0.9990	 0.0530
BX	 0.9990	 0.0620
BY	 0.9950	 0.0290
BZ	 1.0000	 0.0290